

SUPPLEMENT TO



The Gazette of India

No. 14]

NEW DELHI, SATURDAY, APRIL 2, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th March, 1955

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)													
Ajmer													
TOTAL	.	..	-	1	1	Kamrup
(Estd. mid-year pop. 741 thousands)								Darrang
Total for w/e 26-2-55	Nowrangpur	.	..	5	1	..
Total for w/e 19-2-55	5	2	Sibsagar
7-yearly mean for the week	3	2	-	Lakhimpur
							..	Sadiya and Frontier Tracts
							..	Garo Hills
							..	United Mikir and North Cachar Hills	.	20	15
Assam—contd.													
Andhra													
Srikakulam	.	.	7	2	4	1	..	TOTAL	.	25	16
Visakhapatnam	(Estd. mid-year pop. 9,672 thousands)					
Godavari East	.	.	13	1	25	4	..	Total for w/e 26-2-55	.	25	19
Godavari West	3	Total for w/e 19-2-55	.	19	14	1	..
Krishna	11	1	..	7-yearly mean for the week	5	2
Guntur	28	8	..					Bhopal	
Nellore	5	3	..					"N.R."	
Kurnool	2	2	..	Bihar					
Cuddapah	.	.	6	4	1	Patna
Anantapur	Gaya
Chittoor	5	1	..	Shahabad	2	..
TOTAL	.	26	7	84	20	Saran
Estd. mid-year pop. 21,013 thousands.)								Champaran
Total for w/e 26-2-55	.	10	4	101	22	Muzaffarpur
Total for w/e 19-2-55	.	16	5	82	17	Darbhanga
7-yearly mean for the week	.	137	74	483	85	Monghyr
Assam													
Cachar	Bhagalpur
Khasi and Jaintia Hills	Saharsa	14	1
Naga Hills	Purnea
Goalpara	Santal Parganas	23	5
							..	Hazaribagh	.	..	11	1	10
							..	Ranchi

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; N.R.—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th March, 1955—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Bihar—contd.												Coorg	
Manbhum	2	TOTAL	.
Palamu	(Estd. mid-year pop. 256 thousands.)
Singhdhurn	Total for w/e 26-2-55
TOTAL	.	II	I	51	6	Total for w/e 19-2-55
(Estd. mid-year pop. 41,828 thousands)										7-yearly mean for the week	2
Total for w/e 26-2-55	.	4	2	36	4	Delhi
Total for w/e 19-2-55	.	8	3	44	12	Delhi City	2
7-yearly mean for the week	.	50	20	186	23	23	11	New Delhi	1
Bombay												Delhi Notified Area	
Greater Bombay	4	3	New Delhi Cantt
Ahmedabad	1	West Delhi N.A.C.
Kaira	9	1	Rural Circles
Broach	TOTAL	3
Panch Mahals	3	1	(Estd. 1951 Census pop. 1,744 thousands.)
Surat	11	Total for w/e 26-2-55
Thana	11	1	Total for w/e 19-2-55
Satara South	3	7-yearly mean for the week	1
Ahmednagar	25	1
East Khandesh	92	7	6
West Khandesh	41	Himachal Pradesh			
Amreli	13	3	"N.R."			
Nasik	.	2	2	109	17	Madhya Pradesh			
Poona	4	Nagpur
Satara North	11	Wardha
Sholapur	Chanda
Sabarkantha	10	2	Chhindwara	5
Belgaum	Betul
Bijapur	1	Bhandara	4
Dharwar	1	5	1	Jabalpur	6
Kanara	Sagar	2
Ratnagiri	Mandla	3
Kolaba	Hoshangabad	4
Kolhapur	Nimar	91
Baroda	Balaghat	7
Navsari	Raipur	1
Dangs	Bilaspur
Mehsana	Durg	9
Banaskantha	Bastar
TOTAL	.	2	3	370	38	Surguja
(Estd. mid-year pop. 38,892 thousands)										Raigarh
Total for w/e 26-2-55	.	1	..	273	45				
Total for w/e 19-2-55	.	1	..	265	31				
7-yearly mean for the week	.	2	1	469	80	7	3				

Explanation of Symbols used : C. = Cases ; D. = Deaths; . . . = Nil ; N.R. = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th March, 1955—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Madhya Pradesh—<i>contd.</i>												Orissa—<i>contd.</i>																								
Amravati	22	Koraput	3							
Yeotmal	8	1	Keonjhar	.	.	.	1	2	1						
Akola	9	1	Dhenkanal	1						
Buldana	12	Bolangir Patna	1						
						TOTAL	176	10	Sundergarh	1	1						
(Estd. mid-year pop. 21,948 thousands).												Kalahandi	.	.	.	6	3	4						
Total for w/e 26-2-55	218	21	Mayurbhanj	1						
Total for w/e 19-2-55	222	29																									
7-yearly mean for the week	19	12	112	23	376	34	..																									
Madras												Punjab (I)																								
Madras City	10	6	Hissar	2						
Chingleput	Rohtak						
North Arcot	Gurgaon						
Salem	.	.	.	1	1	Karnal	1						
Coimbatore	.	.	.	12	2	7	2	Ambala	1						
South Arcot	.	.	.	6	2	2	Simla						
Tanjore	.	.	.	20	10	Kangra						
Tiruchirappalli	.	.	.	21	13	1	Hoshiarpur						
Mathurai	.	.	.	7	1	44	9	Jullundur						
Ramnathapuram	8	1	Ludhiana						
Tirunelveli	Ferozepur						
Nilgiris	Amritsar	1						
Malabar	15	5	Gurdaspur						
South Kanara	1																									
						TOTAL	67	29	88	23																								
(Estd. mid-year pop. 37,797 thousands.)												(Estd. 1951 Census pop. 12,641 thousands.)																								
Total for w/e 26-2-55	.	.	100	44	84	18	Total for w/e 26-2-55	6	1				
Total for w/e 19-2-55	.	91	55	69	16	Total for w/e 19-2-55	3	1			
7-yearly mean for the week	.	571	298	166	43	7-yearly mean for the week	19	6			
Manipur												Tripura																								
												TOTAL	8	4				
(Estd. mid-year pop. 606 thousands.)												(Estd. mid-year pop. 694 thousands.)																								
Total for w/e 26-2-55	Total for w/e 26-2-55	4			
Total for w/e 19-2-55	Total for w/e 19-2-55	15			
Oriissa												Uttar Pradesh																								
Cuttack	22	Dehra Dun	13	3				
Balasore	.	.	.	4	..	10	Saharanpur	3				
Puri	18	Muzaffaranagar				
Sambalpur	.	.	.	4	1	33	1	Meerut				
Bandh	Bulandshahr				
Ganjam	Alligarh				

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th March, 1955—*contd.*

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE					
	—		C.	D.	C.	D.	C.	D.	—		C.	D.
Uttar Pradesh—<i>contd.</i>						Vindhya Pradesh						
Mainpuri	TOTAL
Etah		13	2	..
Bareilly	2	(Estd. mid-year pop. 3,665 thousands.)			
Bijnor	Total for w/e 26-2-55
Budaun		13	2	..
Moradabad	Total for w/e 19-2-55
Shahjahanpur		38
Pilibhit	7	3	..				
Farrukhabad	2				
Etawah				
Kanpur	6	1	..				
Fatehpur	3	1	..				
Allahabad	4				
Jhansi				
Jalaun				
Hamirpur				
Banda				
Benaras				
Mirzapur				
Jaunpur	5	..				
Ghazipur				
Ballia				
Gorakhpur				
Deoria	2				
Basti				
Azamgarh				
Nainital				
Almora	1				
Garhwal				
Lucknow	12	5	..				
Unnao	1				
Rae Barelli				
Sitapur				
Hardoi	5	4	..				
Kheri	3	1	..			
Faizabad				
Gonda				
Bahraich	4	1	..				
Sultanpur				
Patnaigarh	2	1				
Bareilly Banki	1				
Rampur				
TOTAL	69	20	7	1				
(Estd. mid-year pop. 66,112 thousands.)						Grand Total for States Parts (A) and (C) (excluding Bhopal and Himachal Pradesh)						
Total for w/e 26-2-55	76	31	11	4		167	70	982
Total for w/e 19-2-55	105	50	5	2		151	11	4
7-yearly mean for the week	14	5	140	34	Grand Total for the week	1,262	639	2,116
									Corresponding Total for w/e 26-2-55	162	80	920
									Corresponding Total for w/e 19-2-55	152	85	962
									7-yearly mean for the week	1,262	639	2,116
									Corresponding (Estd. mid-year pop. 2,98,734 thousands.)	467	573	120

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th March, 1955—concl'd.

	CHOLERA		SMALLPOX		PLAQUE		Punjab & East Punjab States Union							
	C.	D.	C.	D.	C.	D.	TOTAL	17	3	..		
STATES PART (B)														
	Hyderabad													
Aurangabad	8	4				Rajasthan	
Parbhani				"N. R."	
Bhir				Saurashtra	-
Gulberga					
Raichur	Gobilwad
Bidar		2	6
Osmanabad	TOTAL	2	6
Warrangal					
Karimnagar	TOTAL	8	1
Adilabad					
Nizamabad	Grand total for States Part (B)	.	.	49	32
Medak		36	14	25	11
Nalgonda	Grand total for States Parts (A), (B) & (C)	.	.	216	102
Mahbubnagar	10,18	142	32	12	
Hyderabad					
Nanded					
	TOTAL	8	4					
Jammu and Kashmir														
	"N.R."													
Madhya Bharat														
	"N.R."													
Mysore														
Bangalore	Place				
Chitaldrug	.	.	.	4	3	Period				
Hassan	.	.	.	18	4	Greater Bombay	10-2-55		1	(Flea-borne)
Chikmagalur	.	.	.	23	22	"	22-2-55	I	("
Kolar	25	II	"	I-3-55	I	("
Mandy	"	2-3-55	I	("
Mysore	.	.	.	4	I					
Shimoga					
Tumkur	I					
Bellary	2					
	TOTAL	.	..	49	32	I	..	25	II	Places				
										Pudjab (I)	14-28 February, 1955		17	(Parettic)

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

NEW DELHI-2 (INDIA);
The 28th March, 1955.

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Parts A and C)														
"N. R."														
Ajmer														
Andhra														
Adoni	61	36	30.7	1	..	7	6.0	4	
Anantapur	36	26	37.4	1	1	6	8.6	..	
Anakapalli	45	11	12.7	6	1	1	17	19.6	2	
Bhimavaram	35	8	11.9	1	1	2	..	6	8.9	3
Chirala†														
Chittoor†														
Cuddapah	41	20	25.8	1	..	3	1	7	9.0	1
Eluru	97	46	24.7	4	..	1	..	26	13.9	4
Gudivada	35	26	38.7	3	3	1	..	9	13.4	2
Guntur†														
Guntakal														
Kakinada†														
Kurnool†														
Masulipatnam	86	40	24.1	3	3	..	22	13.3	5
Nandyal	37	37	52.0	1	1	2	..	10	14.1	..
Nellore	92	81	43.5	8	2	4	..	49	27.4	20
Proddatur	41	21	27.1	2	..	10	12.9	1
Rajahmundry	119	82	35.8	3	4	30	12.8	6
Tenali	65	30	24.0	..	1	2	..	2	..	13	10.4	4
Vijayawada†														
Visakhapatnam	124	61	25.7	6	1	11	..	45	18.9	8
Vizianagram	74	33	23.2	1	2	3	..	24	16.9	7
TOTAL	1,024	580	29.5	..	1	37	19	37	2	287	14.6	68
Assam														
Shillong†														
Gauhati	50	6	6.2	1	7	7.3	..
Dibrugarh	44	3	3.5		
Silchar	42	2	1	4	5.0	1
TOTAL	136	9	3.4	3	1	11	4.2	1
Bombay														
Ahmedabad	870	629	37.6	10	3	75	..	234	13.9	66
Ahmednagar	87	109	65.2	3	..	3	..	23	13.7	7
Amalner	49	18	19.1	2	..	4	..	9	9.6	2
Bagalkot	36	30	43.3	1	1	3	..	8	11.5	1
Baroda	237	186	40.8	20	4	15	..	66	14.5	15
Barsi	45	17	19.6	7	2	12	3.9	..
Belgaum	109	55	26.2	2	..	3	..	27	12.9	4
Bhusawal	61	12	10.2	2	..	3	2.6	..
Bijapur	73	66	47.0	1	..	9	6.4	1
Broach	66	55	43.3	13	..	3	..	22	17.3	7
Chalisgaon	34	34	52.0	3	..	1	..	5	7.6	1
Dharwar	75	58	40.2	..	1	5	..	3	1	26	18.0	3
Dhulia	87	74	44.2	2	1	4	1	15	8.9	3
Gadag Betgeri	70	40	34.6	11	..	3	..	27	20.1	..
Godhra	40	33	42.9	4	1	9	11.7	..
Greater Bombay	3,335	1,406	20.1	..	3	4	25	114	1	619	9.6	147
Hubli	144	69	24.8	2	1	4	2	27	9.7	2
Jalgaon	77	18	12.2	6	..	2	1	13	8.8	1
Kalyan†														
Kolhapur	155	68	50.5	2	3	6	..	31	23.0	8
Miraj	44	11	13.0	4	4.7	..
Nadiad	70	43	31.9	..	1	8	..	4	..	25	18.5	5
Nandurbar	34	19	29.1	2	..	2	..	9	13.8	3
Nasik	115	64	28.9	4	..	2	..	25	11.3	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total Deaths) ; ..—No Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—*contd.*

Deaths from i—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Nasari	49	45	46·7	2	6	6·4	1
Pandarpur	44	39	46·1	7	3	3	..	17	20·1	4
Malegaon†													
Patan	46	34	38·4	..	1	..	5	1	4	..	19	21·5	..
Poona	584	294	26·2	7	3	30	2	112	9·9	31
Satara	40	35	45·5	3	..	2	..	15	19·5	3
Sangli	57	30	27·4	1	..	1	..	8	7·3	..
Sholapur†													
Surat	245	153	32·5	9	..	21	..	84	17·8	24
TOTAL	6,978	3,644	27·2	..	6	..	145	49	315	9	1,509	11·2	344
Bhopal													
"N. R."													
Bihar													
Arrah	69	7	5·3	1	1	5	3·8	..
Bettiah	38	10	13·7	1	..	7	9·6	3
Bhagalpur	124	18	7·6	2	II	4·6	..
Bihar	67	22	16·1	2	4	3·1	..
Chapra	68	23	17·6	10	7·7	2
Darbhanga]	92	40	22·6	2	1	3	..	14	7·9	..
Dinapur	44	8	9·5	2	1	3	3·6	..
Dhanbad	40	19	24·7	4	5·2	..
Gaya	146	25	8·9	20	2	8	..	40	14·3	..
Jamalpur	46	8	9·0	1	3	3·4	..
Jamshedpur	241	125	27·0	2	3	..	25	5·5	5
Monghyr	79	17	11·2	8	5·3	..
Muzaffarpur	82	34	21·6	6	..	1	..	14	8·9	..
Hazaribag	38	6	8·2	2	7	9·6	..
Patna	321	116	18·8	3	2	2	..	14	2·3	..
Ranchi	126	20	8·3	4	10	4·1	..
Purulia	46	6	6·8	1	2	2·3	..
Katihar	49
TOTAL	1,716	504	15·3	46	8	18	1	181	5·5	10
Delhi State													
Delhi City	1,085	521	25·0	48	3	38	1	145	6·9	29
New Delhi	355	188	27·5	1	..	9	..	61	8·9	4
N.A.C. Civil Station, Delhi	111	49	23·0	..	1	..	1	..	3	..	13	6·1	4
Delhi Cantt.	49	14	14·8	1	2	2·1	..
Delhi-Shahdara	51	30	30·6	5	..	1	..	10	10·2	1
TOTAL	1,651	802	25·3	..	1	..	55	4	51	1	231	7·3	32
Madhya Pradesh													
Achalpur	38	37	50·6	6	..	1	1	12	16·4	2
Akola	101	51	26·3	7	5	3	..	20	10·3	3
Auravati	98	88	46·7	12	1	3	4	37	19·6	8
Bilaspur	40	21	27·3	5	1	16	20·8	4
Burhanpur†													
Chanda	43	20	24·1	3	8·6	1
Chhindwara	30	20	34·7	3	..	1	..	6	10·4	2
Hinganghat†													
Kamptee	35	13	19·3	1	5	7·4	..
Gondia†													
Khandwa†													
Wardha†													
Sagar†													
Nagpur	513	116	11·7	..	1	..	12	1	3	..	44	4·5	..
Raipur	101	29	14·9	..	1	..	1	1	5	2·6	..
Yeotmal	40	22	28·6	2	..	1	..	7	9·1	2
TOTAL	1,039	417	20·9	..	2	..	49	9	12	5	155	7·8	22

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—contd.

Deaths from:—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.†	Total	D.R.*	I.D.	
Madras														
Ambur	44	25	29·5	1	..	1	1	9	10·6	2	
Aruppukottai	54	46	44·3	4	..	3	..	13	12·5	3	
Bodinayakanur	39	31	41·3	6	..	1	..	9	12·0	3	
Cannanore	46	24	27·1	4	..	13	14·7	4	
Chidambaram	38	66	90·3	1	3	9	12·3	..	
Coimbatore	227	232	53·1	4	8	15	..	77	17·6	16	
Cuddalore	73	66	47·0	4	3	1	22	15·7	4	
Dindigul	88	40	23·6	3	2	2	..	21	12·4	6	
Erode	65	20	16·0	4	19	15·2	4	
Gobichetty Pialayam	37	12	16·9	1	..	3	..	8	11·2	2	
Gudiyattam	51	15	15·3	1	3	2	..	26	16·3	2	
Kancheepuram	89	41	24·0	1	6	9	1	29	16·9	2	
Karaikudi	43	36	43·5	3	1	10	12·1	2	
Karur	48	29	31·4	2	1	2	1	14	15·2	4	
Kozhikode	173	87	26·2	7	1	3	1	50	15·0	9	
Kumbakonam	102	61	31·1	1	2	2	..	35	17·8	9	
Madras	1,649	1,011	31·9	..	7	..	65	99	218	..	697	22·0	189	
Mangalore	133	76	29·7	2	..	8	..	26	10·2	3	
Mathurai	415	252	31·6	..	2	..	12	11	45	2	164	20·5	40	
Mayuram	48	35	37·9	1	16	17·3	4	
Melapalayam	40	11	14·3	2	..	1	..	6	7·8	..	
Nagapattinam	60	35	30·3	3	1	3	..	22	19·1	4	
Ottacamund	46	39	44·1	1	1	4	..	14	15·8	2	
Palani	39	20	26·7	4	..	6	8·0	..	
Palayamkottai	44	52	61·5	1	1	1	25	29·5	5	
Palghat	76	59	40·4	1	1	1	1	16	10·9	5	
Periyakulam	33	30	47·3	3	1	10	15·8	1	
Pollachi	49	35	37·1	1	1	2	..	14	14·9	3	
Pudukottai	49	30	31·8	1	3	4	..	27	28·7	8	
Rajapalayam	67	56	43·5	1	7	7	1	33	25·6	5	
Salem †	
Srirangam	41	20	25·4	2	2	1	..	13	16·5	1
Srivilliputtur	43	31	37·5	2	2	1	..	19	23·0	5
Tanjore	115	131	59·2	4	4	33	14·9	4	
Tellicherry	42	13	16·1	1	6	7·4	..	
Tiruchirapalli	245	144	30·6	1	9	15	1	89	18·9	10	
Tirunelveli	79	50	32·9	4	4	..	21	13·8	3	
Tiruppur	61	60	51·1	1	3	4	..	17	14·5	4	
Tiruyannamalai	44	32	37·8	1	5	1	16	18·9	2	
Tuticorin	109	61	29·1	1	4	6	..	24	11·4	10	
Vaniyambadi	42	32	39·6	6	1	21	26·0	2	
Vellore	121	104	44·7	2	4	8	..	52	22·3	7	
Villupuram	39	25	33·3	5	..	10	13·3	1	
Virudunagar †	
TOTAL	4,946	3,275	34·4	..	9	..	142	190	406	13	1,751	18·4	390	

Orissa

Berhampur	70	20	14·9	2	2	2	..	10	7·5	3
Cuttack	114	155	70·8	8	2	5	..	52	23·8	9
Jharsuguda	53	20	19·7	..	1	..	6	2	3	..	20	19·7	2
TOTAL	237	195	42·8	..	1	..	16	6	10	..	82	18·0	14

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Punjab (I)														
Ambala	64	52	42.4	3	..	2	..	9	7.3	4	
Amritsar	335	269	41.9	4	22	..	70	10.9	13	
Batala	61	51	43.6	6	..	3	..	11	9.4	3	
Bhiwani	56	29	27.0	3	..	4	..	9	8.4	1	
Ferozepore†	38	32	43.9	3	..	3	..	8	11.0	5	
Hissar	
Hoshiarpur	50	12	12.5	2	..	1	..	4	4.2	1	
Jullundur	194	155	41.7	2	14	1	23	6.2	5	
Karnal	69	26	19.7	3	3	2.3	..	
Ludhiana†	
Moga†	
Panipat	62	44	37.0	7	..	1	..	10	8.4	3	
Pathankot	33	27	42.7	1	1	1.6	..	
Rewari	36	24	34.8	6	..	1	..	7	10.1	1	
Rohtak†	
Simla†	
Sonipat†	
TOTAL		998	721	37.7	34	6	51	1	155	8.1	36
Uttar Pradesh														
Agra	367	179	25.4	..	1	3	30	..	52	7.4	10	
Allahabad	342	173	26.4	1	21	2	48	7.3	11	
Amroha	60	50	43.4	4	..	2	..	14	12.2	7	
Bahraich	46	25	28.3	2	..	1	..	7	7.9	2	
Banaras	375	240	33.4	35	6	12	..	129	17.9	30	
Ballia†	
Bareilly	201	68	17.6	8	2	7	1	28	7.3	3	
Bijnor†	4	1	4	..	14	13.5	4
Budruk	54	33	31.9	
Basti†	
Bulandshahr†	
Chandausi	40	28	36.5	4	2	1	..	8	10.4	1
Dehra Dun†	
Etawah†	
Faizabad-Ayodhya	85	27	16.6	1	1	5	1	10	6.1	..
Farrukhabad-Fatehgarh†		
Ferozabad	76	31	21.3	3	..	3	..	10	6.9	2
Ghaziabad	45	25	29.0	1	..	2	..	5	5.8	..
Ghazipur	36	24	34.8	4	..	3	..	11	15.9	..
Gorakhpur	137	38	14.5	10	3	5	..	32	12.2	..
Gonda†
Hapur	48	38	41.3	5	..	5	..	10	10.9	..
Hardwar	63	29	24.0	7	2	12	9.9	4
Hathras	61	40	34.2	9	2	6	..	20	17.1	6
Jaunpur	56	33	30.7	3	..	3	..	11	10.2	2
Jhanj†	115	87	39.4	19	1	4	..	25	11.3	6
Kanpur	716	316	22.2	..	1	103	14	33	4	268	18.8	88
Kasganj	34	8	12.3	1	1	4	6.1	..
Khurja	40	26	33.9	4	1	3	..	11	14.3	1
Koil-Aligarh	148	41	14.4	3	1	6	..	18	6.3	7
Lucknow†
Mathura
Mau-Nath Bhanjan†	108	53	25.6	5	..	9	1	24	11.6	10
Meerut	181	104	33.0	4	1	5	..	21	6.0	4
Mirzapur-Vindhya Chal	95	54	29.6	4	2	4	..	16	8.8	2
Moradabad	163	120	38.4	7	..	8	1	30	9.6	3
Muzaffarnagar	72	39	28.2	4	..	1	..	8	5.8	2
Pilibhit	45	32	37.1	..	1	2	10	11.6	1
Rampur	154	2	0.7	1	..	2	..	4	1.3	..
Saharanpur	158	99	32.7	20	..	2	..	31	10.2	7
Sambhal	64	64	52.0	4	..	13	..	18	14.7	8
Shahjahanpur	99	79	41.6	12	..	2	..	20	10.5	2
Sitapur	48	19	20.6	2	..	1	..	8	8.7	3
TOTAL		4,332	2,224	26.7	..	3	..	295	44	203	12	937	11.2	226

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—contd.

Deaths from I—

Town	Mid-year Popn.-Est. (ooo)	Deaths from I—									
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total

West Bengal

"N. R."

STATES—(Part B)

Jammu & Kashmir

"N. R."

Madhya Bharat

"N. R."

Mysore State

Bangalore City	.	936	467	25·9	3	37	61	..	184	10·2	..
Davangere†
Kolar Gold Fields	.	170	77	27·1	5	6	8	..	51	18·0	..
Mysore City	.	285	78	24·9	6	3	1	..	30	9·5	..
Bellary	.	77	49	38·1	1	..	4	..	27	21·0	..
TOTAL	.	1,468	671	23·8	15	46	74	..	292	10·3	..

PEPSU

Patiala City	.	108	46	22·1	..	1	..	3	..	3	..	17	8·2	7
Malerkotla City	.	34	11	16·8	3	3	4·1	..
Bhatinda	.	38	16	21·9	2	..	2	..	4	5·5	..
TOTAL	.	180	73	21·1	..	1	..	8	..	5	..	24	6·9	7

Rajasthan

Alwar	.	60	36	31·2	2	5	4·3	1
Jodhpur	.	196	36	9·6	..	33	..	19	1	7	1	84	22·3	20
Bikaner	.	117	47	20·8	6	2	9	..	30	13·4	4
Bharatpur	.	38	3	4·1	4	5	6·8	1
Churu	.	46	1	1·1	..	2	2	..	4	4·5	1
Ganganagar	.	45	20	23·1	1	2	..	3	3·5	2
Tonk†	.	49	7	7·4	2	6	6·4	1
Sikar	.	341	43	6·6	11	2	11	2	53	8·1	8
Jaipur	.	103	12	6·1	2	..	2	..	10	5·1	2
Kotah	.	71	13	9·5	1	4	2·9	..
TOTAL	.	1,066	218	10·6	..	35	..	45	6	33	3	204	10·0	40

Saurashtra

Bhavnagar	.	153	49	16·7	..	5	..	18	1	5	..	46	15·6	13
Dhoraji	.	46	21	23·7	2	1	15	16·9	6
Gondal	.	40	28	36·4	1	..	1	..	3	3·9	..
Jamnagar	.	119	14	6·1	14	1	5	..	35	15·3	8
Junagadh	.	65	23	18·4	11	..	1	..	19	15·2	8
Morvi	.	42	22	27·2	6	6	7·4	..
Porbandar	.	63	24	19·8	6	..	2	1	12	9·9	3
Surendranagar	.	41	8	10·1	1	1	1·3	..
Veraval	.	45	11	12·7	1	1	1·2	..
TOTAL	.	614	200	16·9	..	5	..	60	3	14	1	138	11·7	38

Travancore-Cochin

"N. R."

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—contd.

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>ARREAR RETURNS</i>													
<i>w/e 26-2-55</i>													
Bihar													
Arrah	69	12	9·0	2	3	2·3	..
Betiah	38	15	20·5	1	..	1	..	4	5·5	..
Bhagalpur	124	28	11·7	1	18	7·6	..
Bihar	67	11	8·5	1	3	2·3	..
Chapra†													
Darbhanga	92	24	13·6	1	1	1	..	11	6·2	1
Dinapur	44	5	5·9	1	..	1	..	2	2·4	..
Dhanbad	40	12	15·6	1	5	6·5	..
Gaya	146	81	28·9	15	..	2	..	34	12·1	..
Jamalpur	46	2	2·3	1	2	2·3	..
Jamshedpur	241	75	16·2	2	..	2	..	13	2·8	2
Monghyr.	79	7	4·6	3	..	3	..	10	6·6	..
Hazaribagh	38	16	21·9	1	..	1	..	7	9·6	1
Patna Corporation	321	51	8·3	1	1	1	..	8	1·3	..
Ranchi	126	22	9·1	3	10	4·1	..
Purulia	46	6	6·8	—	2	2·3	..
Katihar	49
Muzaffarpur	82	22	14·0	3	..	2	..	11	7·0	..
TOTAL	1,648	389	12·3	37	2	13	..	143	4·5	4
West Bengal													
<i>w/e 26-2-55</i>													
Asansol†													
Baidyabati	33	15	23·6	1	1·6	..
Bally	65	2	1·6	1	..	2	1·6	..
Bankura†													
Banberia†													
Baranagar †													
Basirhat	39	13	17·3	1	1·3	1
Berhampur	62	59	49·6	4	16	13·5	6
Bhadreshwar	34	10	15·3	1	..	3	4·6	..
Bharpara	141	37	13·7	..	1	..	15	1	6	..	47	17·4	12
Budge-Budge	32	5	8·1	2	4	6·5	1
Burdwan	81	27	17·4	10	6·4	..
Calcutta	2,931	1,127	20·0	..	1	..	50	56	181	2	621	11·0	129
Champdani	40	12	15·6	1	1·3	..
Cooch-Behart													
Darjeeling	37	11	15·5	2	2·8	..
English-Bazar	35	17	25·3	4	6·0	..
Garden-Reach	121	15	6·5	4	..	1	..	12	5·2	4
Haldiaghlar	40	3	3·9	8
Hooghly-Chinsura	60	51	44·3	3	..	1	..	120	7·0	2
Howrah	471	151	16·7	8	12	54	..	13·3	41	
Jalpaiguri	47	20	22·2	5	..	1	..	7	7·8	..
Kamarhati†													
Kanchrapara	71	2	1·5	1	0·7	1
Krishnagar	55	2	1·9	1	..	3	2·8	..
Midnapore	44	19	22·5	2	1	2	..	13	15·4	..
Nabadwip	67	33	25·7	4	1	..	1	10	7·8	1
Naihati	61	5	4·3	1	1	2	1·7	..
North Barrackpore	36	5	7·2	1	1	..	2	2·9	..
Panihati	62	3	2·5	2	1·7	2
Shantipur	48	16	17·4	2	2·2	..
Serampore	82	25	15·9	5	..	15	9·5	5
Siliguri	42
South Dum-Dum	79	21	13·9	1	2	1·3	..
South Suburban	120	8	5·3	2	4	..	11	7·3	6
Titagarh	76	34	23·3	12	1	4	..	18	12·3	3
TOTAL	5,112	1,748	17·8	..	2	..	109	78	263	3	940	9·6	212

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th March, 1955—concl'd.

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Bharat													
<i>For w/e the 26th February 1955</i>													
Greater Gwalior	267	123	24·0	7	..	2	..	14	2·7	..
Indore	357	95	13·8	13	1	7	1	63	9·2	20
Ujjain	151	26	9·0	7	1	22	7·6	..
Ratlam		71	23	16·8	1	..	16	11·7	4
Mandsaur†													
TOTAL	846	267	16·4	27	2	10	1	115	7·1	24
 Travancore-Cochin													
<i>For w/e the 26th February 1955</i>													
Alleppey	142	125	45·8	4	1·5	1
Changanacherry	40	37	48·1	1	..	1	..	3	3·9	..
Ernakulam	69	36	27·1	2	..	9	6·8	..
Kottayam†													
Mattancherry	83	33	20·7	1	..	2	..	8	5·0	2
Nagercoil	91	24	13·7	1	3	1·7	..
Quilon	73	92	65·5	3	..	11	7·8	1
Trichur	75	68	47·1	2	2	2	10	6·9	..
Trivandrum City.	213	199	48·6	..	1	..	5	2	4	3	28	6·8	5
TOTAL	786	614	40·6	..	1	..	8	4	14	5	76	5·0	9

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 5th March, 1955, relate to 171 towns with an estimated population of 26,385 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 66% of the total number of towns representing 68% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,533 and 5,957 representing birth and death rates of 27.7 and 11.7 per thousand of population, respectively.

(a) *States (Part A & Part C).*—The data here relate to 171 towns with an estimated population of 23,057 thousands. Information about Ajmer, Bhopal and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 68% of the total number of towns representing 71% of the total population is covered. The number of births and deaths

recorded in these towns were 12,371 and 5,299 representing birth rates and death rates of 27.9 and 12.0 per thousand of population, respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 26 towns with an estimated population of 3,328 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 54% of the total number of towns representing 52% of the total population is covered. The number of births and deaths recorded in these towns were 1,162 and 658 representing birth and death rates of 18.1 and 10.3 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 5-3-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	29.5	14.6	22.1	12.4	†	†
Bombay	27.2	11.2	22.6	14.8	29.9	17.9
Bihar	15.3	5.5	15.7	5.9	11.8	6.2
Delhi	25.3	7.3	21.6	5.8	29.1	9.3
Madhya Pradesh	20.9	7.8	19.9	9.3	24.5	13.6
Madras	34.4	18.4	24.8	17.0	†	†
Orissa	42.8	18.0	37.7	17.5	35.2	23.8
Punjab (I)	37.7	8.1	27.3	6.8	27.9	8.9
Uttar Pradesh	26.7	11.2	24.7	12.0	27.4	13.1
India (only States Part A and C).	27.9	12.0	23.6	13.1	26.6	15.8

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 28th March, 1955. }

K. MITRA,
for Registrar General, India.

